Technical Data	Audi A1 Sportback 25 TFSI S tronic (70 kW)
Program for Germany	Status: 09/24/2019
Engine / electrics	
Engine type	Inline 3-cylinder engine
Valve gear / number of valves per cylinder	Roller cam follower, overhead camshafts, hydraulic valve-play compensation / 2/2 inlet/exhaust valves per cylinder
Displacement in cc / bore x stroke in mm / compression	999 / 74.5 x 76.4 / 10.5
Max. power output in kW (hp) / rpm	70 (95) / 5000 - 5500
Max. torque in Nm (Ib-ft) / at rpm	175 (129.1) / 2000 - 3500
Mixture preparation	Direct injection, lambda control, knock control, turbocharger, intercooler
Exhaust emission control	Catalytic converter, oxygen sensor, gasoline particulate filter
Emissions standard	EU6
Start-stop / REM	yes / yes
Battery in A / Ah	320 / 49
Max. electrical output at 12V in kilowatts	1,3
On-board voltage 1 in volts	12
On-board voltage 2 in volts	-
Drivetrain / transmission	
Drive type	Front-wheel drive
Clutch	Hydraulically actuated dry clutch, asbestos/lead-free linings, dual- mass flywheel
Transmission type	7-speed S tronic / dual clutch
Transmission ratio in 1st/2nd gear	3.765 / 2.273
Transmission ratio in 3rd/4th gear	1.531 / 1.122
Transmission ratio in 5th/6th gear	1.176 / 0.951
Transmission ratio in 7th/8th gear	0.795 / -
Reverse gear ratio / final drive ratio 1-2	4.170 / 4.438
Suspension / steering / brakes	
Type and design of front-axle suspension	McPherson struts, front
Type and design of rear-axle suspension	Compound link rear suspension
Steering	Electromechanical steering with speed-dependent power assistance
Steering ratio min. / max.	15.0 / 15.0
Turning circle / turning circle optional in m (ft)	10.6 (34.8) / -
Brake control system	Dual-circuit brake system with diagonal split, ESC/ABS/EBD, brake booster, hydraulic brake assist
Tires (basic)	185/65 R 15 92 V XL (extra load)
Wheels (basic)	Steel 5.5Jx15"
Performance / acoustics	
Top speed in km/h (mph)	191 <i>(118.7)</i>
Acceleration, 0-100 km/h (0-62.1 mph)	11,1
Fuel type / octane value	Gasoline / 95
Exterior noise level when stationary / drive-past as per ECE R51.02 / drive-past as per ECE R51.03 in dB (A)	75.0 / - / 69

Consumption / emissions*	
Fuel consumption, urban / extra-urban / combined in liters per 100 kilometers (US mpg)	5.9-5.8 (39.9-40.6) / 4.3-4.2 (54.7-56.0) / 4.9-4.8 (48.0-49.0)
CO ₂ emissions combined in grams per kilometer (g/mi)	112-109 (180.2-175.4)
Servicing / guarantee (Germany)	
Service interval	30,000 km (18,641.1 mi) / 2 years, whichever comes first
Vehicle / paint / rust perforation guarantee	2 / 3 / 12 (years)
Insurance classification in Germany: third party / fully comprehensive / part-comprehensive	14 / 17 / 17
Weights / loads	
Unladen weight without driver / with driver / gross weight limit in kg (lb)	1125 (2480.2) / 1200 (2645.5) / 1660 (3659.7)
Front/rear axle load limit in kg (lb)	890 (1962.1) / 800 (1763.7)
Roof load limit / permissible nose weight in kg (lb)	75 (165.3) / -
Capacities	
Cooling system capacity (incl. heating) in liters (US gal)	6.2 (1.6)
Engine oil capacity, including filter (change volume) in liters (US qt)	4 (4.2)
Fuel tank capacity in liters (US gal)	40 (10.6)
Dimensions / body	
Body type / number of doors	- / 4
Number of seats	5
Drag coefficient Cd / frontal area A in m² (sq ft)	0.31 / 2.07 (22.3)
Standard dimensions (length / width excluding mirrors / height with steel springs / height with air springs) in mm (ft)	4029 (13.2) / 1740 (5.7) / 1433 (4.7) / -
Width including mirrors in mm (ft)	1940 <i>(6.4)</i>
Wheelbase / track width front/rear in mm (ft)	2563 (8.4) / 1524 (5.0) / 1501 (4.9)
Overhang angle of steel springs, front / rear in degrees	16.50 / 12.40
Height of loading edge with steel springs / air springs in mm (ft)	668 (2.2) / -
Luggage capacity behind 2nd seat bench, open / closed in I (cu ft)	Not available / 335 <i>(11.8)</i>

 $^{^{\}star}$ Fuel consumption and CO_2 emission figures given in ranges depend on the tires/wheels used