



Technical data

Audi S1 EKS RX quattro (2017)

As of: March 2017

| Model | Audi S1 EKS RX quattro (2017) |
|----------------------------|--|
| Vehicle | |
| Vehicle type | World RX Supercar |
| Chassis | Reinforced Audi S1 body |
| | with weld-in safety cell according to FIA standard |
| Engine | |
| Engine | Gasoline R4 turbo engine, |
| | 4 valves per cylinder, 45-mm diameter air restrictor acc. to regulations |
| Engine management | Bosch MS 5.0 |
| Engine lubrication | Wet sump |
| Cubic capacity | 2,000 cc |
| Power output | 560 HP |
| Torque | More than 700 Nm |
| Drivetrain/transmission | |
| Type of drive | Permanent quattro four-wheel drive, drive of rear axle can be |
| | decoupled by operating the handbrake |
| Clutch | 3-plate CFRP clutch |
| Transmission | Mechanical sequential 6-speed transmission |
| Differential | Adjustable multi-disc differential locks on front and rear axle |
| Suspension/steering/brakes | |
| Steering | Servo-assisted rack-and-pinion steering |
| Suspension | MacPherson struts, front and rear, |
| | adjustable gas pressure dampers |
| Brakes | Hydraulic dual-circuit braking system, monoblock light alloy brake |
| | calipers, ventilated brake discs front and rear with |
| | Pagid RS brake linings, brake force distribution between front and rear |
| | infinitely adjustable by the driver |
| Wheels | Cast magnesium wheels from OZ Racing, |
| - | front and rear: 8" x 17" |
| Tires | Cooper Tires |
| | 225 / 640 - 17 |
| Weight/dimensions | |
| Length | 3,975 mm |
| Width | 1,840 mm |
| Height | 1,417 mm |
| Minimum weight | 1,300 kg |
| Fuel cell capacity | 20 |